

PERSONNEL	TITLE	PERSONNEL	TITLE	COUNTY	DATE
<u>I. Stone</u>				<u>Wood</u>	<u>22 Aug. 72</u>
<u>W. Jenne</u>				S. R. <u>#105</u>	WEATHER <u>Hazy</u>
<u>R. Michalek</u>				SEC. <u>Bowling Green-East</u>	TEMP. <u>80°</u>
<u>D. Curtis</u>					

DESCRIPTION References to Section Corners JOB NO. _____

LEFT	CENTER LINE	RIGHT
E- $\frac{1}{4}$ Post - Section # 22 - Fd. $\frac{3}{4}$ " I. Pipe CENTER TOWNSHIP (Corner Cloverdale & Housekeeper)		
23.67'	NE. to shiner in	18" Tree
27.21'	W.N.W. to shiner in	P. Pole
14.23'	NE. to S.W. corner	N.E. Wing Wall
27.17'	S.E. to S.E. corner	Bridge Rail
N.E. Corner of S.E. $\frac{1}{4}$ of S.E. $\frac{1}{4}$ of Sec. 22 - CENTER TWP. Fd. 1" I. Pipe 2' West of Guard Rail) Cloverdale $\frac{1}{2}$ mi. S. of Housekeeper		
33.10'	W.S.W. to shiner in	T. Pole
85.96'	N.W. to shiner in	P. Pole
33.82'	E. to shiner in	old wood Fence Post
S. $\frac{1}{16}$ corner Sec. 22 - CENTER TWP. Fd. R.R. Spk. (Int. Dirlam Rd. & old US 6)		
45.70'	S.W. to shiner in	36" Tree
51.90'	S.E. to shiner in	P. Pole
49.80'	N.E. to shiner in	P. Pole
65.97'	N.W. to shiner in	T. Pole
Centerline Sec. 22 - CENTER TWP. Fd. $\frac{3}{4}$ " I. Pipe		
5.0'	S.W. to	Partially Burned Stump
N - $\frac{1}{4}$ Post Sec. 22 - CENTER TWP. Fd. $\frac{1}{2}$ " I. Pipe (On Pac Rd. btwn. Center Rd. & SR #105)		
3.01'	E.N.E. to shiner in	guard rail post
4.66'	W.N.W. to shiner in	guard rail post
37.48'	N. to shiner in	T. Pole

PERSONNEL	TITLE	PERSONNEL	TITLE	COUNTY	DATE
Steve				Wood	25 Aug. 72
Donna				S. R. #105	WEATHER Warm
Michalak				SEC. B Green East	TEMP. 80°
Curtis					

DESCRIPTION	References to Section Corners	JOB NO.
	LEFT CENTER LINE RIGHT	

±	Section # 23 - CENTER TWP. (Housekeeper & Chamberlain)			
	Fd. 1" I. Pipe			
35.13'	S.W. to shiner in P. Pole			
36.96'	N.E. to shiner in P. Pole			
71.10'	N.N.W. to shiner in T. Pole			
	N. 1/4 Post Section #23 - CENTER TWP.			
	Fd. Stone (Chamberlain Rd. 1/2 mi. N. of Housekeeper Rd.)			
148.95'	S.S.W. to shiner in P. Pole			
133.80'	S.E. to shiner in 18" Tree			
3.50'	E. to W. Edge Pt.			
	N.E. Corner Sec. 14 - CENTER TWP.			
	Fd. Stone to Surface (Webster Rd. 1/2 mi. N. of 105)			
23.86'	S.W. to Con. Monument			
39.37'	S.W. to Near Face of Water Pump			
176.47'	N.N.W. to Near Edge 28" Stump			
±	Section 13 - WEBSTER TWP. (Silverwood & Alexander)			
	Fd. R. R. Spk. (On Bridge)			
18.97'	N.W. to 2" I. Pipe on Ditch Bank			
27.98'	S.W. to shiner in P. Pole			
64.34'	E.S.E. to shiner in P. Pole			
62.00'	N.E. to shiner in T. Pole			
	Section Corner 15-14-22-23 - CENTER TWP.			
	Fd. 1" I. Bolt to surface (Poc Rd. just N. of 105)			
81.63'	E. to shiner in P. Pole			
43.42'	N.E. to shiner in P. Pole			
27.55'	W.S.W. to chiseled "+" on W. Wall			

PERSONNEL	TITLE	PERSONNEL	TITLE	COUNTY	DATE
Stone				Wood	25 Jan. 74
Nicholak				S. R. #105	WEATHER Mild
Dennis				SEC.	TEMP. 70°
Curtis					

DESCRIPTION References to Control Points JOB NO. 02999(6)

	LEFT	CENTER LINE	RIGHT
±	Sec. 2 - Freedom Twp. - Fd. Stone in E. Edge Drive		
59.15'	N.N.E. to shiner in P. Pole		
64.87'	E.S.E. to Cor. Brick House (Plumbed)		
59.72'	S. to shiner in L. Pole		
19.8'	E.N.E. to 3" Sapling		
	SW Cor. Sec. 2 - Freedom Twp. - Fd. 3/4" I. Pin 4" deep.		
±	College Ave. & Pemberville Rd.		
29.11'	N.W. to shiner in P. Pole		
24.67'	E.N.E. to near edge base Fire Hydrant.		
61.65'	S.W. to bottom Cor. Footer to Bldg.		
62.58'	S.E. to bottom of N.W. cor. frame Sohio Gas. Sta.		
	W 1/4 Post Sec. 2 - Freedom Twp. 1/2 mi. S. of Sugar Ridge Rd. on		
	Pemberville Rd. - Fd. Small jpk. to surface		
22.70'	E. to shiner in T. Pole		
9.5'	W. to W. edge put.		
13.4'	E. to E. edge put.		
182.30'	N.N.E. to shiner in T. Pole		
	S.E. Cor. Sec. 2 - Freedom Twp. on Bradner Rd. approx. 1/2 mi.		
	S. of SR #105 - Fd. RR Spl. 2" deep		
110.44'	S.S.E. to shiner in T. Pole		
158.26'	N.N.E. to shiner in T. Pole		
10.25'	to W edge put.		
7.85'	to E edge put.		
	1/4 Post Sec. 12 & 13 - on Silverwood 1/4 mi. N. of SR #105		
	Fd. Stone - Set 1 Rod approx. to surface		
24.95'	W.S.W. to shiner in P. Pole		
17.55'	E. to shiner in T. Pole		
174.09'	N.N.E. to shiner in T. Pole		
2.5'	W. edge put.		
15.3'	E. edge put.		



PERSONNEL	TITLE	PERSONNEL	TITLE	COUNTY	<u>Wood</u>	DATE	<u>21 Feb. 79</u>
<u>Stone</u>				S. R.	<u>#105</u>	WEATHER	<u>Cloudy</u>
<u>Michalak</u>				SEC.		TEMP.	<u>45°</u>
<u>Dennis</u>				DESCRIPTION <u>References to Control Points</u>			
<u>Curtis</u>				LEFT	CENTER LINE	RIGHT	JOB NO. <u>02999(6)</u>

Sec.	Cor.	LEFT	CENTER LINE	RIGHT
		$\frac{8}{17}$	$\frac{9}{16}$	
		Ed. Stone 17" deep - set Stake then PK Nail - Int. Alexander & Fish Rds.		
55.77'		- S.S.W. to shiner in P. Pole		
20.80'		- N.N.W. to shiner in P. Pole		
97.13'		- S.E. to NW. cor. Brick siding La. Res.		
7.2'		- to N. edge put.		
		$\frac{8}{17}$		
		$\frac{1}{4}$ Post - Alexander Rd. $\frac{1}{2}$ mi. W. of Fish Rd. Ed. PK Nail.		
20.53'		- N.N.E. to shiner in P. Pole		
129.88'		- N.W. to shiner in P. Pole		
111.32'		- E.S.E. to shiner in T. Pole		
77.19'		- E.N.E. to "x" on N.W. wing wall		
7.2'		- N. edge put.		
7.2'		- S. edge put.		
		$\frac{7}{18}$	$\frac{8}{17}$	
		Sec. Cor. Ed. Stone to surface - 1 mi. West of Fish Rd.		
20.96'		- S. to shiner in T. Pole		
42.22'		- S.E. to shiner in 8" Tree		
46.67'		- N.W. to shiner in P. Pole		
8.6'		- N. edge put.		
6.4'		- S. edge put.		
		9/10		
		$\frac{1}{4}$ Post 9/10 - Lemayne Rd. $\frac{1}{2}$ mi. South of Rice Rd. Ed. 1" I. Pipe to surface		
35.95'		- NE to shiner in 16" Tree		
24.93'		- W. to shiner in P. Pole		
98.27'		- N.N.W. to shiner in P. Pole		
48.65'		- S.E. to shiner in P. Pole		
23.35'		- E. to Face Cor. fence post (Metal)		

PERSONNEL	TITLE	PERSONNEL	TITLE	COUNTY	DATE
Stone				Wood	5 March 74
Michalak				S. R. 105	WEATHER Cool
Donne				SEC. Freedom Twp.	TEMP. 40°
Gurtis					

DESCRIPTION References to Control points JOB NO. 02999(a)

LEFT	CENTER LINE	RIGHT
------	-------------	-------

ctr. Sec. 8 - Found Stone 1' deep - set spl. over stone		
Aufderstrasse Rd. 1 mi. S. of Moir Rd.		
16.73'	N.E.	to shiner in P. Pole
26.06	N.W.	to "4" on S. Head wall culvert
35.15	N.W.	to "4" on N. Head wall culvert
		- 8" E. of W. edge put.
$\frac{1}{4}$ Post 7/8 - Fd. Stone on E. Ditch Bank - Banks Rd. 1 mi. S. of Moir Rd.		
41.02'	W. N.W.	to shiner in T. Pole (P)
64.88'	S.	to shiner in P. Pole (P)
23.29'	E.S.E.	to shiner in 6" Tree (P)
35.31'	S.E.	to shiner in 9" Tree (P)
21.0'	W.	to E. edge put.
$\frac{1}{4}$ Post $\frac{9}{16}$ - Fd. 1" I. Pin' to surface - Alexander Rd. $\frac{1}{2}$ mi. W. of Wayne Rd.		
14.17'	N.E.	to S.W. cor. con Hd. wall
7.05'	S.E.	to N.W. cor. con Hd. wall
17.58'	N.	to shiner in wood fence post
98.10'	W.N.W.	to shiner in T. Pole
9.1'		to N. edge put.
3.0'		to S. edge put.
Sec. Cor. $\frac{9}{16}$ / $\frac{10}{15}$ - Fd. 1" I. Pin' 1" Below surface Alexander and Wayne Rds.		
28.53'	W.S.W.	to shiner in P. Pole
43.84'	S.W.	to shiner in T. Pole
25.83'	S.E.	to shiner in P. Pole
25.30'	E.S.E.	to shiner in P. Pole

PERSONNEL	TITLE	PERSONNEL	TITLE	COUNTY	DATE
Stone				Wood	5 Mar. 79
Michelak				S. R. 105	WEATHER Fair
Dunn				SEC. Freedom Twp.	TEMP. 75°
Curtis					

DESCRIPTION References to Control points JOB NO. 02999(6)

LEFT	CENTER LINE	RIGHT
------	-------------	-------

1/4 Post $\frac{10}{15}$ -	Fd. 1" I. Pin	to surface at RR. 1/2 mi. E. of
	Wagon Rd. on Alexander	
44.75'	- N.E. to skinner in P. Pole	
11.35'	- W. to E. edge E. rail	
42.84'	- S.E. to skinner in P. Pole	
.50'	- N. to N. edge put	
1/4 Post 10/11 -	Int. Parkville Rd. & Forest Ave.	
	Fd. 1" I. Pin	
20.01'	- N.W. to skinner in P. Pole	
27.55'	- S.E. to skinner in T. Pole	
54.61'	- N.E. to skinner in 18" Tree	
1/4 Post $\frac{3}{10}$ -	Fd. 1" I. Bolt 2" deep	Wegman and Pees Rds
32.25'	- N.E. to skinner in P. Pole	
26.32'	- N.W. to skinner in T. Pole	
30.46'	- S.E. to skinner in P. Pole	
25.88'	- S.W. to skinner in P. Pole	
NE 1/4 Post Sec. 2 -	Bradner Rd. and Sugar Ridge Rd.	
	Fd. R.R. Spk. 3" deep	
172.70'	- E. to R.R. Spk. S.W. Cor. Sec. 36 Troy Twp.	
29.10'	- S.E. to Con. Mon.	
26.16'	- N.N.E. to Con. Mon.	
32.87'	- S.W. to Con. Mon.	
N. 1/4 Post Sec. 1 -	Sugar Ridge Rd. 1/2 mi. E. of Bradner Rd.	
	Fd. R.R. Spk. 4" deep	
95.90'	- E. to RR Spk. S 1/4 Post Sec. 36 Troy Twp.	
21.22'	- N. to Con. Mon.	
34.58'	- S.E. to Con. Mon.	
34.79'	- S.W. to Con. Mon.	
21.55'	- S. to Con. Fence Post (Face)	

PERSONNEL	TITLE	PERSONNEL	TITLE	COUNTY	DATE	WEATHER	TEMP.
Stone				Wood	6 Mar. 77	Cloudy	45°
Michael				S. R. 105			
Denno				SEC. Freedom Twp.			
Contis							
DESCRIPTION				References to Control Points		JOB NO. 02999(2)	
LEFT		CENTER LINE		RIGHT			

NE 1/4 Post Sec. 1 - Int. US #23 and Sugar Ridge Rd. Fd. PK Nail (& Pavement)							
45.30' - E. to shiner in Wood Fence Post							
62.00' - NE to shiner in Wood Fence Post							
60.60' - SE to shiner in T. Pole							
83.93 - S.W. to Con. Man.							
E 1/4 Post Sec. 1 - US #23 and Elmore Rd. Fd. PK Nail (Looks to be 1/4 Post) & Pavement							
52.30' - E.N.E. to Con. Man.							
83.82' - S.W. to Con. Man.							
53.86' - S.E. to Con. Man.							
1/4 Post 2/1 - Bradner Rd. 1/2 mi. South of Sugar Ridge Set 1. Rod as per references							
23.4' - E. to Old Con. Fence Post							
- S. to Stone in & SR #105							